



NT33-2SACRF2

Product Specification



Product Specification

NT33-2SACRF2



Specifications

Motor Type: Single Motor / Brushless
 Column Type: 2-Leg, 2-Stage Reversed
 Rectangular / No Hole
 Column Size: 65×45 / 60×40 mm
 Desk Frame Height Range: 700–1140±5 mm
 Column Stroke: 440 mm
 Frame Width Adjustment Range: 1000–
 1400±5 mm
 Compatible Desktop Length: 1000–1500 mm
 Side Bracket Length: 575 mm
 Foot Size: 600×75 mm
 Max. Desk Load Capacity: 80 kg / 176 lbs
 Max. Speed: 18 mm/s
 Low Noise Level: ≤50 dB (No Load)
 Functions: Anti-collision Protection / Sedentary
 Reminder, etc.
 Standby Power Consumption: <0.1 W
 Surface Finish: Powder Coating, White
 (Standard Color)
 Black (Standard Color)
 Gray (Standard Color)
 Package Size: 1110×285×265 mm /
 1460×760×65 mm
 Gross/Net Weight: 18/20 kg 11.5/13.5 kg


Options

Custom Colors Available
 Compatible Handsets: Standard / Integrated
 Compatible Controllers: Standard Controller / Adapter / Wall Plug
 Multiple Foot Options Available

Notes


Duty Cycle: 10%; Work 2 min, Rest 18 min
 Operating Environment: Indoor
 Storage & Transport Temperature: -10°C ~ 70°C

Dimension Drawing



Naming Rule

Example



F = No Hole / A = Standard Installation / R = Reverse Installation / G = Ball Bearing