

# **NT33-4HF3A -D3B-LJ184- BG —**

## Product Specifications



## Product Specifications

# NT33-4HF3A -D3B-LJ184-BG

### Product --- Features

**Height Range : 600-1250mm**

**Stroke : 650mm**

**Frame Width Range : 1030-1750 mm**

**Compatible Desktop Size: 1200-1800 mm**

**Column Without Hole Design**

**Load Capacity: : 200kg**

**Maximum Speed: 40mm / s**

**Noise Level (no load): < 50 dB**

**Anti-collision safety protection**

**Power consumption: < 0.1W**

**Surface :Powder coating**

**White (standard color )**

**Black (standard color )**

**Gray (standard color )**

**Packing Size1: 1065\*270\*215mm**

**Packing Size2: 930\*285\*155mm**

**Packing Size2: 795\*225\*115mm**

**Gross Weight: 75.3kg    Net Weight: 68.5kg**



### Optional ---

**Customized colors are acceptable**

**Compatible with any hand controller**

**Can be matched with a variety of footings**


### How to use ---

**Working hours: 10%; work for 2 minutes and rest for 18 minutes**


**Use environment: indoor**

**Storage and transportation temperature: -10°C ~ 70°C**

## Dimensional Drawing



## 命名规则示例



F stands for no hole / A stands for normal mounting / R stands for reverse mounting / G stands for ball